



MATERIAL SAFETY DATA SHEET — Clear Coat-Satin

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

| | | | |
|--------------------------------------------------|-------------------------------------|----------------------------------------------|-------------------------------------|
| Product Identifier Clear Coat-Satin Finish | | [WHMIS Classification] N/A | |
| Product Use Coating | | | |
| Manufacturer's Name Dixie Belle Paint Company | | Supplier's Name Dixie Belle Paint Company | |
| Street Address 8019 Ridge Road | | Street Address 8019 Ridge Road | |
| City Port Richey | | City Port Richey | |
| State FL | | State FL | |
| Zip Code 34668 | Emergency Telephone 813-909-1962 | Zip Code 34668 | Emergency Telephone 813-909-1962 |
| Date MSDS Prepared 04/16/2014 | | | |

SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | % | CAS Number | | |
|--------------------|----------------|----------------|--|--|
| Ethylene Glycol | 5-10 by weight | 107-21-1 | | |
| Acrylic Polymer | 1-5 by weight | Not assigned | | |
| Triethylene Glycol | 1-5 by weight | 112-27-6 | | |
| Clay (kaolin) | 1-5 by weight | 1332-58-7 | | |
| Water | Trade Secret | Not Classified | | |

SECTION 3 — HAZARDS IDENTIFICATION

Route of entry:

- Skin: May cause irritation
- Eye: May cause irritation
- Inhalation: Prolonged or excessive inhalation may cause respiratory tract irritation
- Ingestion: May be harmful if swallowed. May cause vomiting.

Emergency overview: Irritant.

SECTION 4 — FIRST AID MEASURES

| |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin Contact: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention if needed. |
| Eye Contact: Immediately flush eyes with plenty of water for 15 or 20 minutes. Get medical attention, if irritation or symptoms of overexposure persists. |
| Inhalation: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention if needed. |
| Ingestion: If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. |

SECTION 5 — FIRE FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical or water fog or spray when fighting fires involving this material.

Unsuitable extinguishing media: None

Special hazards arising from the substance or mixture:

Fire hazard: None known

Explosion hazard: None known

Advice for firefighters:

Protection during firefighting: Firefighters should wear full protective gear

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal precautions: Use proper personal protective equipment

Environmental precautions: Avoid runoff into storm sewers, ditches and waterways

Methods and materials for containment: Absorb spill with inert material, then place in a chemical waste container.

SECTION 7 — HANDLING AND STORAGE

Precautions for safe handling: Avoid breathing vapors and contact with eyes skin or clothing

Conditions for safe storage: Store in a cool, dry place away from sources of heat and ignition.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Guidelines:

Ethylene glycol:

Guideline ACGIH: TLV-STEL: C 100 mg/m3 (Aerosol only)

Clay (kaolin):

Guideline ACGIH: TLV-TWA: 2 mg/m3 (Respirable)

Guideline OSHA: OSHA-TWA: 5 mg/m3 (Respirable)

Exposure Controls:

Appropriate engineering controls: Local exhaust and general ventilation must be adequate to meet exposure standards

Hand protection: Use impervious gloves such as neoprene, nitrile or rubber for hand protection

Eye protection: Safety glasses or chemical goggles

Skin and body protection: Wear suitable working clothes

Respiratory protection: If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Appearance: Liquid

Boiling Point: No Data

Melting Point: No Data

Density: 8 – 10 lbs/gal

Vapor Density: Greater than 1 (Air=1)

pH: 8.5 – 9.5

Molecular Formula: Mixture

Molecular Weight: Mixture

Flash Point: No Data

VOC Content: Material VOC: 95 gm/1 (Includes Water)

Coating VOC: 346 gm/1 (Excludes Water)

SECTION 10 — STABILITY AND REACTIVITY

| | |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Reactivity: | No additional information available |
| Chemical stability: | Stable under normal temperatures and pressures |
| Possibility of hazardous reactions: | Not reported. |
| Conditions to avoid: | Heat, flames, incompatible materials, and freezing temperatures below 32 deg. F |
| Incompatible materials: | Oxidizing agents. Strong acids and alkalis. |
| Hazardous decomposition products: | May decompose under fire conditions emitting gases and vapors which may be toxic and irritating to the respiratory tract. |

SECTION 11 — TOXICOLOGICAL INFORMATION

Ethylene glycol:

| | |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RTECS Number: | KW2975000 |
| Eye: | Eye – Rabbit TDLo: 10pph [Sense Organs and Special Senses (Eye) – Conjunctive irritation] Eye – Rat Standard Draize test: 0.012%/3D Eye – Rabbit Standard Draize test: 500mg/24H Eye – Rabbit Standard Draize test: 100 mg/1H Eye – Rabbit Standard Draize test: 0.012 ppm/3D Eye – Rabbit Standard Draize test: 1440 mg/6H (RTECS) |
| Skin: | Administration onto the skin – Rabbit LD50: 9530 uL/kg [Details of toxic effects not reported other than lethal dose value] Administration onto the skin – Rabbit Open irritation test 555 mg (RTECS) |
| Ingestion: | Oral – Rat LD50: 4700 mg/kg [Details of toxic effects not reported other than lethal dose value] Oral – Guinea pig LD50: 6600 mg/kg [Details of toxic effects not reported other than lethal dose value] Oral – LD50: 2000 mg/kg [Details of toxic effects not reported other than lethal dose value] Oral – Mouse LD50: 5500 mg/kg [Details of toxic effects not reported other than lethal dose value] Oral – LD50: 5500 mg/kg [Kidney/Ureter/Bladder – Other changes] Oral – LD50 1650 mg/kg [Kidney/Ureter/Bladder – Other changes] Oral – Guinea pig LD50: 6610 mg/kg [Behavioral – Somnolence (general depressed activity) Gastrointestinal – Other changes Kidney/Ureter/Bladder – Other changes] (RTECS) |

Clay

| | |
|---------------|-----------|
| RTECS Number: | GF1670500 |
|---------------|-----------|

SECTION 12 — ECOLOGICAL INFORMATION

| | |
|--------------------------------|------------------------------------------------|
| Toxicity: | No ecotoxicity data was found for the product. |
| Persistence and degradability: | No additional information available |
| Bioaccumulative potential: | No additional information available. |
| Mobility in soil: | No additional information available |

SECTION 13 — DISPOSAL CONSIDERATIONS

Waste treatment methods: Dispose of contents/container in accordance with local/regional/national/international regulations

SECTION 14 — TRANSPORT INFORMATION

In accordance with DOT
Not a dangerous good as defined in transport regulations

Additional Information:

Not regulated by IATA or IMDG

SECTION 15 — REGULATORY INFORMATION

California PROP 65: Warning: This product contains a chemical known to the state of California to cause cancer and birth defects or other reproductive harm.

Ethylene glycol:

TSCA Inventory Status: Listed

State Regulations: Listed in New Jersey State Right to Know List
Listed in the Pennsylvania State Hazardous Substances List

Canada DSL: Listed

Clay (kaolin):

TSCA Inventory Status: Listed

State Regulations: Listed in the Pennsylvania State Hazardous List
Listed in the Massachusetts State Right to Know List
Listed in Minnesota Hazardous Substance List
Listed in New Jersey Right to Know Substance List

Canada DSL: Listed

SECTION 16 – ADDITIONAL INFORMATION

The Information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.